



# **Offshore Helmets**

## P-514 36" Offshore Male Helmet Assembly & Diagram





### P-514 36" OFFSHORE MALE TYPE HELMET ASSEMBLY

|  | #      | Assembly                        | Qty | Weights<br>lbs. approx.           | Accessories                                             |
|------------------------------------------------------------------------------------|--------|---------------------------------|-----|-----------------------------------|---------------------------------------------------------|
|                                                                                    | 410455 | Male type Offshore Helmet       | 1   | 6,300                             | (8005537) 1/2" x 16" to 20" 6x36 IWRC steel cable(2 ea) |
|                                                                                    | 500315 | striker plate, Ø 23"x10"        | 1   | 974                               | (8001749) 7/16" - 1/2" cable clamp crosby G-450 (2 ea)  |
|                                                                                    | 500159 | aluminium cushion, Ø 23"x1 1/2" | 3   | 63 (for 3)                        |                                                         |
|                                                                                    | 500109 | phenolic cushion, Ø 23"x1"      | 2   | 56 (for 2)                        |                                                         |
|                                                                                    |        |                                 |     | <b>Total:</b><br><b>7,393 lbs</b> |                                                         |

**Pipe Pile Size:** 16"x 1", 20"x 1" 24"x 1-1/2", 30"x 1-1/2", 36"x 1-1/2" **U-Lead Size:** 36.5" x 8", 42.5" x 8"

## P-515 48" Offshore Male Helmet Assembly & Diagram






### P-515 48" OFFSHORE MALE TYPE HELMET ASSEMBLY

|  | #      | Assembly                      | Qty | Weights<br>lbs. approx       | Accessories                                             |
|------------------------------------------------------------------------------------|--------|-------------------------------|-----|------------------------------|---------------------------------------------------------|
|                                                                                    | 410452 | Male type Offshore Helmet     | 1   | 14,400                       | (8005537) 1/2" x 16" to 20" 6x36 IWRC steel cable(2 ea) |
|                                                                                    | 500330 | striker plate, Ø 27"x12"      | 1   | 1,532                        | (8001749) 7/16"-1/2" cable clamp crosby G-450 (2 ea)    |
|                                                                                    | 500160 | aluminium cushion, Ø 27"x1/2" | 3   | 84 (for 3)                   |                                                         |
|                                                                                    | 500110 | phenolic cushion, Ø 27"x1"    | 2   | 76 (for 2)                   |                                                         |
|                                                                                    |        |                               |     | <b>Total:<br/>16,092 lbs</b> |                                                         |

**Pipe Pile Size:** 24" x 1", 30" x 1", 36" x 2", 42" x 2", 48" x 2" **U-Lead Size:** 48.5" x 8", 54.5" x 8"

## P-516 66" Offshore Male Helmet Assembly & Diagram





### P-516 66" OFFSHORE MALE TYPE HELMET ASSEMBLY

|  | #      | Assembly                       | Qty | Weights<br>lbs. approx             | Accessories                                             |
|------------------------------------------------------------------------------------|--------|--------------------------------|-----|------------------------------------|---------------------------------------------------------|
|                                                                                    | 410453 | Male type Offshore Helmet      | 1   | 26,600                             | (8005537) 1/2" x 16" to 20" 6x36 IWRC steel cable(2 ea) |
|                                                                                    | 500335 | striker plate, Ø 37"x 12"      | 1   | 3,080                              | (8001749) 7/16"-1/2" cable clamp crosby G-450 (2 ea)    |
|                                                                                    | 500165 | aluminium cushion, Ø 37"x 1/2" | 3   | 159 (for 3)                        |                                                         |
|                                                                                    | 500115 | phenolic cushion, Ø 37"x 1"    | 2   | 142 (for 2)                        |                                                         |
|                                                                                    |        |                                |     | <b>Total:</b><br><b>29,981 lbs</b> |                                                         |

**Pipe Pile Size:** 42" x 1-1/2", 48" x 1-1/2", 54" x 1-1/2", 60" x 1-1/2", 66" x 1-1/2" **U-Lead Size:** 66.5"x 8", 68.5"x 12"

## P-517 98" Large Diameter Drive Plate Assembly & Diagram





### P-517 98" LARGE DIAMETER DRIVE PLATES

|  | #        | Assembly                        | Qty | Weights<br>lbs. approx       | Accessories                                             |
|------------------------------------------------------------------------------------|----------|---------------------------------|-----|------------------------------|---------------------------------------------------------|
|                                                                                    | 410454   | 98" Drive Plates Diameter       | 1   | 38,400                       | (8005537) 1/2" x 16" to 20" 6x36 IWRC steel cable(2 ea) |
|                                                                                    | 500335-B | striker plate, Ø 37" x 16"      | 1   | 4,217                        | (8001749) 7/16"-1/2" cable clamp crosby G-450 (2 ea)    |
|                                                                                    | 500165   | aluminium cushion, Ø 37" x 1/2" | 3   | 159 (for 3)                  |                                                         |
|                                                                                    | 500115   | phenolic cushion, Ø 37" x 1"    | 2   | 142 (for 2)                  |                                                         |
|                                                                                    |          |                                 |     | <b>Total:<br/>42,918 lbs</b> |                                                         |

**Pipe Pile Size:** Up to 98-1/2"Ø , Use guide shoes for Ø 66", 72", 84", 96"

**OS Type Lead:** OS 98

## P-518 120" Large Diameter Drive Plate Assembly & Diagram





### P-518 120" LARGE DIAMETER DRIVE PLATES

|  | #        | Assembly                        | Qty | Weights<br>lbs. approx       | Accessories                                             |
|------------------------------------------------------------------------------------|----------|---------------------------------|-----|------------------------------|---------------------------------------------------------|
|                                                                                    | 410456   | 120" Drive Plates Diameter      | 1   | 61,001                       | (8005537) 1/2" x 16" to 20" 6x36 IWRC steel cable(2 ea) |
|                                                                                    | 500335-B | striker plate, Ø 37" x 16"      | 1   | 4,217                        | (8001749) 7/16"-1/2" cable clamp crosby G-450 (2 ea)    |
|                                                                                    | 500165   | aluminium cushion, Ø 37" x 1/2" | 3   | 159 (for 3)                  |                                                         |
|                                                                                    | 500115   | phenolic cushion, Ø 37" x 1"    | 2   | 142 (for 2)                  |                                                         |
|                                                                                    |          |                                 |     | <b>Total:<br/>65,519 lbs</b> |                                                         |

**Pipe Pile Size:** Up to 120"Ø Use guide shoes for Ø 84", 96", 98", 108", 114"

**OS Type Lead:** 10120

## P-528 98" Large Diameter Step Drive Plate Assembly & Diagram



### P-528 98" LARGE DIAMETER STEP DRIVE PLATES



|  | #        | Assembly                        | Qty | Weights<br>lbs. approx             | Accessories                                             |
|------------------------------------------------------------------------------------|----------|---------------------------------|-----|------------------------------------|---------------------------------------------------------|
|                                                                                    | 410474   | 98" Step Drive Plates Diameter  | 1   | 46,578                             | (8005537) 1/2" x 16" to 20" 6x36 IWRC steel cable(2 ea) |
|                                                                                    | 500335-B | striker plate, Ø 37" x 16"      | 1   | 4,217                              | (8001749) 7/16"-1/2" cable clamp crosby G-450 (2 ea)    |
|                                                                                    | 500165   | aluminium cushion, Ø 37" x 1/2" | 3   | 159 (for 3)                        |                                                         |
|                                                                                    | 500115   | phenolic cushion, Ø 37" x 1"    | 2   | 142 (for 2)                        |                                                         |
|                                                                                    |          |                                 |     | <b>Total:</b><br><b>51,096 lbs</b> |                                                         |

**Pipe Pile Size:** 54", 60", 66", 72", 84", 96" 98" Ø

**OS Type Lead :** 10098



## P-529 120" Large Diameter Step Drive Plate Assembly & Diagram



### P-529 120" LARGE DIAMETER STEP DRIVE PLATES

|  | #        | Assembly                        | Qty | Weights<br>lbs. approx       | Accessories                                             |
|------------------------------------------------------------------------------------|----------|---------------------------------|-----|------------------------------|---------------------------------------------------------|
|                                                                                    | 410464   | 120" Step Drive Plates Diameter | 1   | 74,621                       | (8005537) 1/2" x 16" to 20" 6x36 IWRC steel cable(2 ea) |
|                                                                                    | 500335-B | striker plate, Ø 37" x 16"      | 1   | 4,217                        | (8001749) 7/16"-1/2" cable clamp crosby G-450 (2 ea)    |
|                                                                                    | 500165   | aluminium cushion, Ø 37" x 1/2" | 3   | 159 (for 3)                  |                                                         |
|                                                                                    | 500115   | phenolic cushion, Ø 37" x 1"    | 2   | 142 (for 2)                  |                                                         |
|                                                                                    |          |                                 |     | <b>Total:<br/>79,139 lbs</b> |                                                         |

**Pipe Pile Size:** 96", 108", 114" & 120" Ø

**OS Type Lead:** 10120